



Principal Investigator: Prof. Íñigo Molina Fernández, imolina@bionand.es

Institutions

BIONAND, Andalusian Centre for Nanomedicine and Biotechnology
University of Málaga
IBIMA, Instituto de Investigación Biomédica de Málaga.

Keywords

Integrated optics, silicon photonics, photonic biosensors, all-dielectric metamaterial waveguides, optical communications, radiofrequency devices and subsystems

Research Lines

- ✓ Highly sensitive integrated photonic biosensors
- ✓ Nanostructured metamaterial waveguide components
- ✓ Integrated photonic waveguides and components for the mid-infrared
- ✓ Optical coherent sensors with phase and polarization diversity


Scientific Activity

Our research group has a strong background in radiofrequency and integrated optics for optical communications. We specialize in high performance components for the silicon and indium phosphide platforms, with applications to high speed telecom receivers. We apply this extensive knowledge to novel photonic sensing techniques, based on the interaction of the evanescent field of a waveguide mode with an analyte deposited on the waveguide surface. This technique enables sensitivities on par with surface plasmon resonance (SPR), but with the potential of multiplexing tens or hundreds of different test on a single chip.

Research lines:


✓ Highly sensitive integrated photonic biosensors

Based on our expertise on coherent (amplitude and phase) optical phase detection techniques for optical communications we develop highly sensitive evanescent field optical biosensors. These sensors aim to: a) detect very low concentrations of drugs and pathogens and b) monitor molecular reactions in real-time for early diagnosis of diseases and drug discovery. The key advantage of photonic biosensors is that they enable label-free monitoring and detection, obviating intermediate labelling steps that can hamper detection reliability. Photonic biosensors based on integrated optics can be fabricated on a large scale, and, as opposed to surface plasmon resonance, their sensitivity is not limited by reduced propagation distances. The Silicon-on-Insulator platform offers increased sensitivity for evanescent field sensors, and a high degree of miniaturization and integration, enabling parallelized probing. Parallelization allows for several different reactions to be monitored simultaneously, while at the same time performing redundancy checks to reduce false positive/negatives. We are currently working with colleagues from the Catalan Institute of Nanoscience in Barcelona to test these our sensor designs.




✓ Nanostructured metamaterial waveguide components

All-dielectric waveguides segmented at a sub-wavelength scale suppress diffraction effects, and behave as equivalent homogenous metamaterials whose refractive index and other optical properties can be engineered. This enables the design of photonic components with unprecedented performance, for applications in both (bio)sensing and communications. Our group has developed in-house simulation tools for these structures and has pioneered, together with our colleagues from the National Research Council of Canada, a variety of high performance devices, ranging from high efficiency grating couplers, to ultra-broadband waveguide couplers and high-sensitivity photonic biosensors.



✓ Integrated photonic waveguides and components for the mid-infrared


The mid-infrared (MIR) wavelength region (2-20 micrometers) is key for spectroscopic sensing because many compounds of interest (e.g. Methane, Carbon monoxide, Benzene) exhibit specific absorption spectra ("fingerprints") in this region. With applications ranging from explosive detections to medical diagnosis the market for MIR sensor is expected to reach \$7 billion by 2019. Integrated photonic devices operating in the MIR hold potential for measurement equipment with higher performance and reliability, while reducing size, weight and cost. We work with colleagues from the Optoelectronics Research Center at Southampton University to develop waveguides and devices that will enable photonic sensors in this fingerprint region.





✓ Optical coherent sensors with phase and polarization diversity

We continue to push the envelope of telecom optical receivers, advancing in the complete monolithical integration of these devices, with a particular focus on polarization control. This concept, which is of fundamental importance in optical communications, has not yet been widely explored for integrated sensing, where it has the potential to provide further enhancements in sensitivity and selectivity.



Collaborations

- ❖ **National Research Council of Canada**, Dr. Pavel Cheben, Sub-wavelength metamaterial silicon waveguide devices.
- ❖ **Catalan Institute of Nanoscience and Nanotechnology** (Spain), Prof. Laura Lechuga, Photonic biosensors.
- ❖ **Optoelectronics Research Center at Southampton University** (United Kingdom), Prof. Goran Mashanovich, Mid-infrared photonics.
- ❖ **Instituto de Telecomunicaciones y Aplicaciones Multimedia, Politechnic University of Valencia** (Spain), Dr. Pascual Muñoz, Photonic Integrated circuits for Telecom and Bio.
- ❖ **University of Zaragoza** (Spain), Prof. Ignacio Garcés, Polarization diversity coherent telecom receivers.
- ❖ **Czech Academy of Sciences** (Czech Republic), Prof. Jiri Ctzeroky, Numerical modelling of sub-wavelength structures.
- ❖ **Leibniz Institute for Astrophysics** (Germany), Jose Boggio, Dispersion engineered waveguides for supercontinuum generation.
- ❖ **State Key Laboratory of Modern Optical Instrumentation, Zhejiang University** (China), Prof. Dr. Jian-Jun He, Efficient light coupling to SiN photonic platforms

Research Projects in the last 5 years

- "Photonic Integrated Circuits for Telecom and Bio (PIC4TB)", TEC2015-69787-REDT, 2016-2018, Ministerio de Economía y Competitividad, Coordinator: Pascual Muñoz, IP: Alejandro Ortega-Moñux
- "Coherent multiport receivers", TEC2013-46917-C2-1-R, Ministerio de Economía y Competitividad, 2014-2017, IP: Íñigo Molina Fernández
- "Monolithic InP-Based dual polarizaion QPSK Integrated Receiver and Transmitter for Coherent 100-400GB Ethernet", FP7 2010 ID257980, European Union 7th framework programme, 2010-2013, Coordinator: Christophe Kazmierski, IP: Íñigo Molina Fernández
- "Technologies for designing components and new generation coherent optical communication systems", TEC2009-10152, Ministerio de ciencia e innovación, 2010-2012, IP: Alejandro Ortega Moñux
- "Frequency locked loops for enhanced phase noise performance in radiofrequency instrumentation sources", P09-TIC-5268, 2010-2014, Dirección General de Investigación, Tecnología y Empresa (Junta de Andalucía) P09-TIC-5268. Investigador Principal: Iñigo Molina Fernandez

Publications in the last 5 years

- Gonzalo Wangüemert-Pérez, Pavel Cheben, Alejandro Ortega-Moñux, Carlos Alonso Ramos, Diego Perez-Galacho, Robert Halir, I. Molina-Fernández, Daxia Xu, and Jens Schmid, "Evanescent field waveguide sensing with sub-wavelength grating structures in silicon-on-insulator," *Optics Letters*, Vol. 39, Issue 15, pp. 4442-4445, 2014 <http://dx.doi.org/10.1364/OL.39.004442>
- R. Halir, L. Vivien, X. Le Roux, D.-X. Xu, and P. Cheben, "Direct and Sensitive Phase Readout for Integrated Waveguide Sensors," *IEEE Photonics Journal*, Vol 5, p. 6800906, 2013, <http://dx.doi.org/10.1109/JPHOT.2013.2276747>
- A. Densmore, D.-X. Xu; P. Cheben, M. Vachon, S. Janz, R. Ma, D. Bedard, Y. Li, G. Lopinski, A. Delage, J. H. Schmid, R. Halir, Í. Molina Fernández, "Integration of vertical grating couplers and microfluidic channels with silicon photonic wire biosensor arrays" *IEEE 2010 Sensors*, Waikoloa Village, Nov. 2010, <http://dx.doi.org/10.1109/ICSENS.2010.5690313>
- P. Cheben, S. Janz, N. Sabourin, D. -X. Xu, H. Ding, S. Wang, J. H. Schmid, A. Delâge, J. Lapointe, W. Sinclair, R. Ma, S. Logan, R. MacKenzie, Q. Y. Liu, M. Gilmour, R. Halir, C. Alonso Ramos, G. Wanguemert-Perez, A. Ortega-Monux, I. Molina Fernandez, X. Le Roux, L. Laurent, A. Villafranca Velasco, and M. L. Calvo, "Integrated planar waveguide devices for evanescent field sensing and spectroscopy" 2014, 16th International Conference on Transparent Optical Networks (ICTON), Graz, 2014, <http://dx.doi.org/10.1109/ICTON.2014.6876292>



Publications in the last 5 years

- José Darío Sarmiento-Merenguel, Alejandro Ortega-Moñux, Jean-Marc Fédéli, J. Gonzalo Wangüemert-Pérez, Carlos Alonso Ramos, Elena Durán-Valdeiglesias, Pavel Cheben, Íñigo Molina-Fernández and Robert Halir, "Controlling leakage losses in subwavelength grating silicon metamaterial waveguides", *Optics Letters*, Vol. 41, pp. 3443-3446, 2016, <http://dx.doi.org/10.1364/OL.41.003443>
- Alejandro Sánchez-Postigo, J. Gonzalo Wangüemert-Pérez, José Manuel Luque-González, Íñigo Molina-Fernández, Pavel Cheben, Carlos Alonso Ramos, Robert Halir, Jens Schmid, and Alejandro Ortega-Moñux, "Broadband fiber-chip zero-order surface grating coupler with 0.4 dB efficiency", *Optics Letters*, Vol. 41, pp. 3013-3016, 2016, <http://dx.doi.org/10.1364/OL.41.003013>
- Daniel Benedikovic, Carlos Alonso-Ramos, Pavel Cheben, Jens H. Schmid, Shurui Wang, Robert Halir, Alejandro Ortega-Moñux, Dan-Xia Xu, Laurent Vivien, Jean Lapointe, Siegfried Janz, and Milan Dado, "Single-etch subwavelength engineered fiber-chip grating couplers for 1.3 μm datacom wavelength band", *Optics Express*, Vol. 24, pp. 12893-12904, 2016, <http://dx.doi.org/10.1364/OE.24.012893>
- J. Soler Penades, A. Ortega-Moñux, M. Nedeljkovic, J. G. Wangüemert-Pérez, R. Halir, A.Z. Khokhar, C. Alonso-Ramos, Z. Qu, I. Molina-Fernández, P. Cheben and G. Z. Mashanovich, "Suspended silicon mid-infrared waveguide devices with subwavelength grating metamaterial cladding", *Optics Express*, under review
- J. D. Sarmiento-Merenguel, R. Halir, X. Le Roux, C. Alonso-Ramos, L. Vivien, P. Cheben, E. Durán-Valdeiglesias, I. Molina-Fernández, D. Marris-Morini, D.-X. Xu, J. H. Schmid, S. Janz, and A. Ortega-Moñux "Demonstration of integrated polarization control with a 40 dB range in extinction ratio", *Optica*, Vol. 2, pp. 1019-1023, 2015, <http://dx.doi.org/10.1364/OPTICA.2.001019>
- P. J. Reyes-Iglesias, I. Molina-Fernández and A. Ortega-Moñux, "Sensitivity penalty induced by non-ideal dual polarization downconverter in digital coherent receivers", *Optics Express*, Vol. 23, pp. 12784-12794, 2015, <http://dx.doi.org/10.1364/OE.23.012784>
- R. Halir, P. Bock, P. Cheben, A. Ortega-Moñux, C. Alonso-Ramos, J. Schmid, J. Lapointe, D.-X. Xu, J. G. Wangüemert-Pérez, Í. Molina-Fernández and S. Janz, "Waveguide sub-wavelength structures: a review of principles and applications," *Laser and Photonics Reviews*, Invited, Vol. 9, pp. 25-49, 2015, <http://dx.doi.org/10.1002/lpor.201400083>
- J. Soler Penadés, C. Alonso-Ramos, A. Khokhar, M. Nedeljkovic, L. Boodhoo, A. Ortega-Moñux, I. Molina-Fernández, P. Cheben, and G. Mashanovich, "Suspended SOI waveguide with sub-wavelength grating cladding for mid-infrared," *Optics Letters*, Vol. 39, pp. 5661-5664, 2014, <http://dx.doi.org/10.1364/OL.39.005661>
- Robert Halir, Alejandro Ortega-Moñux, Jens H. Schmid, Carlos Alonso-Ramos, Jean Lapointe, Dan-Xia Xu, J. Gonzalo Wangüemert-Pérez, Íñigo Molina-Fernández and Siegfried Janz, "Recent advances in silicon waveguide devices using sub-wavelength gratings," *Journal of Selected Topics in Quantum Electronics*, Invited, Vol. 20, #8201313, 2014., <http://dx.doi.org/10.1109/JSTQE.2013.2293754>
- Y. Xiong, J. G. Wangüemert-Pérez, D.-X. Xu, J.H. Schmid, P. Cheben, and W. N. Ye, "Polarization splitter and rotator with subwavelength grating for enhanced fabrication tolerance", *Optics Letters*, Vol. 39, 2014, <http://dx.doi.org/10.1364/OL.39.006931>
- D. Pérez-Galacho, R. Halir, A. Ortega-Moñux, C. Alonso-Ramos, R. Zhang, P. Runge, K. Janiak, H.-G. Bach, A. G. Steffan, and Í. Molina-Fernández, "Integrated polarization beam splitter with relaxed fabrication tolerances", *Optics Express*, Vol. 21, pp. 14146-14151, 2013, <http://dx.doi.org/10.1364/OE.21.014146>
- Alejandro Ortega-Moñux, Carlos Alonso-Ramos, Alejandro Maese-Novo, Robert Halir, Luis Zavargo-Peche, Diego Pérez-Galacho, Íñigo Molina-Fernández, J. Gonzalo Wangüemert-Pérez, Pavel Cheben, Jens H. Schmid, Jean Lapointe, Danxia Xu, and Siegfried Janz, "An ultra-compact multimode interference coupler with a subwavelength grating slot", *Laser and Photonics Review*, Vol. 7, pp. L12-L15, 2013, <http://dx.doi.org/10.1002/lpor.201200106>
- C. Alonso-Ramos, L. Zavargo-Peche, A. Ortega-Moñux, R. Halir, I. Molina-Fernández, and P. Cheben, "Polarization-independent grating coupler for micrometric silicon rib waveguides", *Optics Letters*, Vol. 37, pp. 3663-3665, 2012, <http://dx.doi.org/10.1364/OL.37.003663>
- R. Halir, Y. Okawachi, J. S. Levy, M. A. Foster, M. Lipson, and A. L. Gaeta, "Ultrabroadband supercontinuum generation in a CMOS-compatible platform", *Optics Letters*, Vol. 37, pp. 1685-1687, 2012, <http://dx.doi.org/10.1364/OL.37.001685>
- R. Halir, A. Maese-Novo, A. Ortega-Moñux, I. Molina-Fernández, J. G. Wangüemert-Pérez, P. Cheben, D.-X Xu, J. H. Schmid, and S. Janz, "Colorless directional coupler with dispersion engineered sub-wavelength structure", *Optics Express*, Vol. 20, pp. 13470-13477, 2012, <http://dx.doi.org/10.1364/OE.20.013470>
- P. J. Reyes Iglesias, I. Molina Fernández, A. Moscoso Mártir, A. Ortega Moñux, "High performance monolithically integrated 120° downconverter with relaxed hardware constraints", *Optics Express*, Vol. 20, pp. 5725-5741, 2012 <http://dx.doi.org/10.1364/OE.20.005725>



Patents

- Waveguide coupling device and method of design thereof, Robert Halir, Alejandro Maese Novo, Alejandro Ortega Moñux, Iñigo Molina Fernández, Patente española con examen previo ES2379058B2, Owner: University of Málaga
- "Acoplador direccional acoplado por ranura y procedimiento de diseño de dicho acoplador", Alvaro Moscoso Martir, Iñigo Molina Fernandez, P201001553, Owner: Universidad de Málaga, AT4wireless
- "Highly Tolerant Tuneable Integrated Optical Polarization Rotator", Carlos Alberto Alonso Ramos, Laurent Vivien, Pavel Cheben, Robert Halir, Delphine Marris Morini, Alejandro Ortega Moñux, Iñigo Molina Fernández, PCT/FR2012/051001
- "Multimode Interference Coupler and Method for the Structural Configuraton thereof", I. Molina Fernandez, J.G. Wangüemert Perez, A. Ortega Moñux, M. Schell, R. Kunkel, WO/2010/023283